




BUILT FOR **TRAVEL**

UCA & LONG TRAVEL SUSPENSION SALES GUIDE



STOCK LENGTH UPPER CONTROL ARMS 2005 - 2015 TOYOTA HILUX VIGO

😤 PART # 96504



1″	additional	2-3″	0″
×	<u>INSTALLATI</u>	ON INSTRUCTIONS	
	ADDITIONA	L PRODUCT INFO 8	IMAGES

Bolt On

Optional Heim Pivot Upgrade

- Designed for use on 6" or higher drop bracket lift kits.
- TC includes 3/4" chromoly heim joints for the pivots.
- Heim upper control arms are fully adjustable to allow maximum tuning of caster and camber.

Kit Includes

UPPER A-ARMS W/ BUSHINGS

PLATED END WASHERS

1" UNIBALLS W/ RETAINING CLIPS

GRADE 8 HARDWARE

GREASE FITTINGS

TAPERED SPINDLE ADAPTERS

Features and Benefits

- UCA's are designed with added caster to aid in retaining factory alignment specs when aftermarket lift kits are installed. This reduces the darting or wandering in the vehicle's steering when 2.5"-3" lift kits are installed.
- Upper control arms combined with extended length coil over shocks will allow for up to 1" of additional wheel travel.
- Urethane bushings reduce bushing deflection compared to stock rubber bushings.
- 4130 chromoly tubular upper control arms are 100% bolt on and hand crafted in the U.S.A.
- CNC machined tapered spindle adapters convert the factory ball joint to a 1" uniball for added component strength & maximum wheel travel.

- TOTAL CHAOS includes 1"I.D. uniballs that feature a heat treated stainless steel ball & heat treated stainless steel race for maximum corrosion resistance and component longevity. These uniballs also feature a military grade PTFE woven fabric liner that helps prevent noise.
- Custom profile upper and lower hi-misalignment spacers maximize droop wheel travel and are machined from heat treated 17-4 stainless steel.
- Control arm pivots include zerk fittings to grease the urethane bushings & inner sleeves without disassembly.
- 3 stage powder coat process includes a durable clear coat to provide a long lasting finish.
- Complete Grade 8 hardware kit is included.

Recommended Tire & Wheel Combination

Tire	Wheel	Backspace
285/75/R16	16 x 8	4.5″
285/70/R17	17 x 8.5	4.75″

Recommended Primary Shock Setup 2.5" Diameter Extended Travel Coilover Shocks

Shock Manufacturer	Part #
Fox Shocks	883-06-092
King Shocks	KNG-25001-349A-EXT

100% MADE IN THE USA

SUPPORT - (951) 737 9682

TOYOTA HILUX VIGO STOCK LENGTH ACCESSORIES

ACCESSORIES SPECIFIC TO PART #96504

FRONT

KING 2.5" EXTEN	DED TRAVEL COILOVERS W/ COMPRESSION KNOBS
Part# KNG-25001-34	 Adjustable ride height ranging from 2"-3" of lift. 1" extra droop wheel travel when combined with 96504 upper control arms. Compression adjuster knobs allow user to fine tune ride for optimum performance. All necessary mounting brackets and hardware are included along with detailed instructions.
	 OWER GUSSETS Reduces upper coil bucket flex and double shears factory upper control arm bolt. Compatible only with TC UCA's or L/T kits - not intended for use with factory control arms. Welding and grinding are required to install.

SPINDLE GUSSET W/ SWAYBAR MOUNTS

- Must have reinforcement for anyone who wants to run hard in the dirt!
- Strengthens spindle uprights and prevents the knuckle from damage during hard impacts under braking.
- Retains the factory sway bar and includes an additional steering arm gusset.
- 1/8" prebent laser cut mild steel brackets.
- Trucks running factory back spacing wheels must run wheel spacers.
- Welding and grinding are required to install.

1" DIFF DROP SPACER

0000

Part # 87200


Part # 59698-V

- Reduces inner CV angle by 3 degrees.
 - Reduces friction wear and tear on stock length axle inner CV boots with auto locking hubs.
 - 1" thick zinc plated steel spacers and Grade 8 hardware are included.
 - Some vehicles may require additional washers to reinstall the factory skid plate.

REAR

KING 2.5" REAR SHOCKS W/ COMPRESSION KNOBS

- Compression adjuster knobs allow user to fine tune ride for optimum performance.
- 2.5" diameter shock bodies with remote reservoirs for optimum cooling.
- Application-specific valving for improved ride quality.



Part # 59654





TOYOTA HILUX VIGO STOCK LENGTH ACCESSORIES

PREP

ACCESSORIES SPECIFIC TO PART #96504

1" STAINLESS STEEL FK UNIBALL AND SNAP RING REPLACEMENT KIT



ball & heat treated stainless steel race for maximum corrosion resistance and component longevity.
Performance parts will require periodic maintenance based on your driving habits & local

1"I.D. uniballs feature a heat treated stainless steel

- conditions.Uniballs include a military grade PTFE woven fabric liner that helps prevent noise.
- Snap rings included.
- Sold as a pair.

1" UNIBALL REMOVAL / INSTALL TOOL

- Aids in the removal and reinstallation of a 1" uniball from any uniball cup during vehicle prep.
- Designed to be used with any hydraulic press, shop press or hammer.
- Prevents damage to new uniball during reassembly.

Part # 96006

Part # FK-REP KIT

URETHANE BUSHING KIT: UPPER CONTROL ARMS

- Complete TC upper control arm urethane replacement bushing kit.
- Performance parts will require periodic maintenance based on your driving habits & local conditions.
- Inspect bushings and other equipment regularly.
- Contact our facility direct to order these items.

Part # 69000

ADDITIONAL REPLACEMENT PARTS

- TC stocks all replacement parts necessary to maintain your performance equipment.
- Tie-Rod Extensions
- Plated A-Arm End Washers
- D.O.T. Braided Brake Lines
- Limit Straps w/ Adjusters & Mounts
- Grade 8 Hardware
- Hi-Misalignment Spacers
- Please have your customers contact TC directly for any individual replacement parts.




SUPPORT - (951) 737 9682

2" RACE SERIES LONG TRAVEL SYSTEM 2016+ TOYOTA HILUX REVO

🎢 PART # 86002V-R-16HLX





Kit Includes

UPPER A-ARMS W/ BUSHINGS & ZERK FITTINGS
LOWER A-ARMS W/ BUSHINGS
TIE-ROD EXTENSIONS
PLATED A-ARM END WASHERS
D.O.T. BRAIDED BRAKE LINES
1″ UNIBALLS W/ RETAINING CLIPS
LIMIT STRAPS W/ ADJUSTERS & MOUNTS
GRADE 8 HARDWARE

HI-MISALIGNMENT SPACERS

Features and Benefits

- 2" extended upper and lower control arms bolt to factory mounting locations. Fiberglass fenders are required. 11.5" of travel.
- Two-bolt adapters convert lower ball joint to a 1" uniball.
- Upper and lower ball joints are upgraded to 1" stainless steel uniballs for max travel and component strength.
- Urethane bushings reduce bushing deflection compared to stock rubber bushings.
- Heim pivot upper control arms can be custom ordered for this kit (see page 7).

- Boxed lower control arms include dual 2.5" shock tabs. Primary coilover shocks bolt into the factory coil bucket location.
- Several spring rate options allow the ability to customize your ride for your specific application.
- Maximize tunability, overall articulation & performance.
- TC custom extended 4340 axles insert into the factory inner and outer CV's to retain 4wd (not included).

Recommended Tire & Wheel Combination

Tire	Wheel	Backspace
285/75/R16	16 x 8	4.5″
285/70/R17	17 x 8.5	4.75″

Recommended Primary Shock Setup 2.5" Diameter Extended Travel Coilover Shocks

Shock Manufacturer	Part #
Fox Shocks	880-02-789
King Shocks	KNG-TC001-01-A

Recommended Secondary Shock Setup 2.5" External Bypass Shocks

Shock Manufacturer	Part #
Fox Shocks	982-02-954
King Shocks	TC1119-34
Note: TC Hoop Part # 86610 is required	·

Required Additional Parts For Installation

Part	Part #
Coilover Shocks	See chart above
TC Extended Axles (4WD MODELS)	86305-16HLX

Application Notes

- Suspension travel varies on every vehicle.
 Welding is required to mount the limit strap mounts and bump stop spacer.
- This kit was not intended to use air bumps.

100% MADE IN THE USA



LONG TRAVEL SUSPENSION

SALES GUIDE

TOYOTA HILUX ACCESSORIES FOR 2" RACE KIT ACCESSORIES SPECIFIC TO PART #86002V-R-16HLX



KING LONG T	RAVEL COILOVERS W/ ADJUSTERS	KING L
	 Long travel specific shocks add 3-4" of lift when paired with a TC long travel kit. 2.5" diameter shocks with remote reservoirs for optimum cooling. Compression adjuster knobs allow user to fine tune ride for optimum performance. 	
Part # KNG-TC00	01-01-A	Part # KNG
WELD - ON SI	PINDLE GUSSETS	DUAL S
	 Must have reinforcement for anyone who wants to run hard in the dirt! Strengthens spindle uprights and prevents the 	

KING LONG TRAVEL SECONDARY SHOCKS

- Serious levels of performance are achieved when a secondary shock is used with a TC long travel kit.
- Externally adjustable for both compression and rebound.
- Designed for use with TC secondary shock hoops (PN: 88610).





DUAL SHOCK HOOPS - LONG TRAVEL ARMS

- Maximize vehicle dampening control when you install a dual 2.5" shock mount system.
- 4130 prebent chromoly shock hoops are designed to install secondary 2.5" smooth body or bypass shocks for maximum IFS dampening control.
- Reinforces the factory coil bucket and helps reduce flex.
- Upper shock tabs are tacked in place to aid in secondary shock location set up.
- Includes grade 8 hardware.
- Welding and grinding are required to install.



LT 4WD 4340 AXLES +2" EXTENDED

SUPPORT - (951) 737 9682

- Designed for use with TC +2" long travel systems.
 4340 heat treated 2" extended axle shafts and
- clamps are included.
 Re-uses factory Toyota inner and outer CV joints and boots.

Part # 86305-16HLX

- WELD-ON UPPER COIL BUCKET TOWER GUSSETS
 - Reduces upper coil bucket flex and double shears factory upper control arm bolt.
 - Compatible only with TC UCA's or L/T kits, not intended for use with factory control arms.
 - Welding and grinding are required to install.



Part # 86610

100% MADE IN THE USA

6



TOYOTA HILUX ACCESSORIES FOR 2" RACE KIT ACCESSORIES SPECIFIC TO PART #86002V-R-16HLX

PREP

1" STAINLESS STEEL UNIBALL REPLACEMENT KIT

1" I.D. uniballs feature a heat treated stainless steel ball & heat treated stainless steel race for maximum corrosion resistance and component longevity. These uniball's also features a military grade PTFE woven fabric liner that helps prevent noise.

Snap rings included.

Part # FK-REP KIT

LONG TRAVEL URETHANE BUSHING KIT

- Complete TC long travel suspension system replacement urethane bushing kit.
- Performance parts will require periodic maintenance based on your driving habits & local conditions.
- Inspect bushings and other equipment regularly.

Part # 69700-R

UNIBALL REMOVAL & RE-INSTALLATION TOOL

- Aids in the removal and reinstallation of a 1" uniball from any uniball cup during vehicle prep.
- Designed to be used with any hydraulic press, shop press or a hammer.
- Prevents damage to new uniball during reassembly.

Part # 96006

ADDITIONAL REPLACEMENT PARTS

- TC stocks all replacement parts necessary to maintain your performance equipment.
- Tie-Rod Extensions
- Plated A-Arm End Washers
- D.O.T. Braided Brake Lines
- Limit Straps w/ Adjusters & Mounts
- Grade 8 Hardware
- Hi-Misalignment Spacers
- Please have your customers contact TC directly for any individual replacement parts.





2" RACE SERIES LONG TRAVEL SYSTEM W/ HEIMS 2016+ TOYOTA HILUX REVO

🛜 PART # 86002V-R-16HLX



Travel	Lift	Track Increase	
11.5″	3-4″	4″	
INSTALLATION INSTRUCTIONS			
ADDITIONAL PRODUCT INFO & IMAGES			
Bolt On			

Kit Includes

UPPER A-ARMS W/ HEIMS

LOWER A-ARMS W/ BUSHINGS

TIE-ROD EXTENSIONS

1" UNIBALLS W/ RETAINING CLIPS

LIMIT STRAPS W/ ADJUSTERS & MOUNTS

GRADE 8 HARDWARE

HI-MISALIGNMENT SPACERS

Features and Benefits

- 2" extended upper and lower control arms bolt to factory mounting locations. Fiberglass fenders are required. 11.5" Travel.
- Upper and lower ball joints are upgraded to 1" stainless steel uniballs for max travel and component strength.
- 4130 chromoly tubing heim upper control arms are fully adjustable to allow maximum tuning of caster and camber.
- 100% chromoly boxed lower control arms include dual 2.5" shock tabs.

Primary coil over shocks bolt into the factory coil bucket location.

- Several spring rate options allow the ability to customize your ride for your specific application.
- TC includes 3/4" chromoly lined heim joints for the pivots.
- TC custom extended 4340 axles insert into the factory inner and outer CV's to retain 4wd.
- Race proven IFS equipment in China, Baja and South America!

Recommended Tire & Wheel Combination

Tire	Wheel	Backspace
285/75/R16	16 x 8	4.5″
285/70/R17	17 x 8.5	4.75″

Recommended Primary Shock Setup 2.5" Diameter Extended Travel Coilover Shocks

Shock Manufacturer	Part #
Fox Shocks	880-02-789
King Shocks	KNG-TC001-01-A

Recommended Secondary Shock Setup 2.5" External Bypass Shocks

Shock Manufacturer	Part #
Fox Shocks	982-02-954
King Shocks	TC1119-34
Note: TC Hoop Part # 86610 is required	

Note: TC Hoop Part # 86610 is required

Required Additional Parts For Installation

Part	Part #
Coilover Shocks	See chart above
TC Extended Axles (4WD MODELS)	86305-16HLX

Application Notes

- Suspension travel varies on every vehicle.
 Welding is required to mount the limit strap mounts and bump stop spacer.
- This kit was not intended to use air bumps.

SUPPORT - (951) 737 9682

100% MADE IN THE USA

TOYOTA HILUX ACCESSORIES FOR 2" RACE KIT ACCESSORIES SPECIFIC TO PART #86002V-R-H-16HLX

FRONT

KING LONG TRAVEL COILOVERS W/ ADJUSTERS	KING LONG TRAVEL SECONDARY SHOCKS
 Long travel specific shocks add 3-4" of lift when paired with a TC long travel kit. 2.5" diameter shocks with remote reservoirs for optimum cooling. Compression adjuster knobs allow user to fine tune ride for optimum performance. 	 Serious levels of performance are achieved when a secondary shock is used with a TC long travel kit. Externally adjustable for both compression and rebound. Designed for use with TC secondary shock hoops (PN: 88610).
Part # KNG-TC001-01-A	Part # KNG-TC1119-34
WELD - ON SPINDLE GUSSETS	DUAL SHOCK HOOPS - LONG TRAVEL ARMS
 Must have reinforcement for anyone who wants to run hard in the dirt! Strengthens spindle uprights and prevents the knuckle from damage during hard impacts under braking. 1/8" prebent laser cut mild steel brackets. Eliminates the factory sway bar. Welding and grinding are required to install. 	 Maximize vehicle dampening control when you install a dual 2.5" shock mount system. 4130 prebent chromoly shock hoops are designed to install secondary 2.5" smooth body or bypass shocks for maximum IFS dampening control. Reinforces the factory coil bucket and helps reduce flex. Upper shock tabs are tacked in place to aid in secondary shock location set up.

Part # 59698-V

- Part # 86610
- h
- ice
- Includes grade 8 hardware.
- Welding and grinding are required to install.



LT 4WD 4340 AXLES +2" EXTENDED

- Designed for use with TC +2" long travel systems. 4340 heat treated 2" extended axle shafts and clamps are included.
- Re-uses factory Toyota inner and outer CV joints and boots.

Part # 86305-16HLX

WELD-ON UPPER COIL BUCKET TOWER GUSSETS



- Reduces upper coil bucket flex and double shears factory upper control arm bolt.
- Compatible only with TC UCA's or L/T kits, not intended for use with factory control arms.
- Welding and grinding are required to install.

Part # 59654

SUPPORT - (951) 737 9682

100% MADE IN THE USA



LONG TRAVEL SUSPENSION

SALES GUIDE

TOYOTA HILUX ACCESSORIES FOR 2" RACE KIT ACCESSORIES SPECIFIC TO PART #86002V-R-H-16HLX

PREP



1" STAINLESS STEEL UNIBALL REPLACEMENT KIT

1"I.D. uniballs feature a heat treated stainless steel ball & heat treated stainless steel race for maximum corrosion resistance and component longevity. These uniball's also features a military grade PTFE woven fabric liner that helps prevent noise.

Snap rings included.

Part # FK-REP KIT

LONG TRAVEL URETHANE BUSHING KIT

- Complete TC lower control arm urethane replacement bushing kit.
- Performance parts will require periodic maintenance based on your driving habits & local conditions.
- Inspect bushings and other equipment regularly.

Part # 69770-R

UNIBALL REMOVAL & RE-INSTALLATION TOOL

- Aids in the removal and reinstallation of a 1" uniball from any uniball cup during vehicle prep.
- Designed to be used with any hydraulic press, shop press or a hammer.
- Prevents damage to new uniball during reassembly.

Part # 96006

ADDITIONAL REPLACEMENT PARTS

- TC stocks all replacement parts necessary to maintain your performance equipment.
- Tie-Rod Extensions
- Plated A-Arm End Washers
- D.O.T. Braided Brake Lines
- Limit Straps w/ Adjusters & Mounts
- Grade 8 Hardware
- Hi-Misalignment Spacers
- Please have your customers contact TC directly for any individual replacement parts.

